## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	812	can near3 synchroniz\$4 near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:35
L2	23	can near3 synchroniz\$4 near3 (program or application) near3 (event or message or command or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:36
L3	12	receiv\$4 near3 synchroniz \$4 near3 (program or application) near3 (event or message or command or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:38
L4	24117	receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:40
L5	119	1 and (receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:40
L6	0	5 and (synchroniz\$4 near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:40
_7	8	5 and (synchroniz\$4 near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:41
_8	1011	can near3 (sync\$4 or synchroniz\$4) near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:42
L9	136	8 and (receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:42

L10	117	8 and ((sync\$4 or synchroniz\$4) near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:43
L11	8	9 and ((sync\$4 or synchroniz\$4) near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:43
L12	824	4 and ( (sync\$4 or synchroniz\$4) near3 (program or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:44
L13	56	12 and ((sync\$4 or synchroniz\$4) near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:45
L14	0	receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4) near3 (check\$4 or verify\$4 or need) near3 (sync\$4 or synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:51
L15	35	receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4) near3 (sync\$4 or synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:51
L16	1	(program or application) near3 (check\$4 near3 determin\$4) near3 (sync \$4 or synchroniz\$4) near3 can	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:55
L17	1	(program or application) near3 (check\$4 near3 determin\$4) near3 (sync \$4 or synchroniz\$4) near3 whether	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:56
L18	6	(program or application) near3 (check\$4 near3 determin\$4) near3 (sync \$4 or synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:56
L19	19434	(required or necessary or needed) near3 (sync\$4 or synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:57

L20	50	19 and ((application or program) near3 synchroniz \$4 near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:02
L21	10005	synchroniz\$4 near3 first near3 second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:04
L22	12	21 and ((program or application) near3 (check \$4 or determin\$4) near3 synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:05
L23	3	synchroniz\$4 near3 determin\$4 near3 need\$1 near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:07
L24	5	synchroniz\$4 near3 determin\$4 near3 (must or necessary or requir\$4 or need\$1) near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:08
L25	340	synchroniz\$4 near3 determin\$4 near3 (must or necessary or requir\$4 or need\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:09
L26	18	25 and (receiv\$4 near3 (program or application) near3 (event or message or command or notif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:09
L36	0	("2007/0174348").URPN.	USPAT	OR	ON	2008/11/21 13:14
L50	0	conclud\$4 near3 need\$4 near3 synchroniz\$\$	USPAT	OR	ON	2008/11/21 13:23
L51	0	conclud\$4 near3 need\$4 near3 synchroniz\$4	USPAT	OR	ON	2008/11/21 13:23
L52	34	conclud\$4 near3 synchroniz\$4	USPAT	OR	ON	2008/11/21 13:23
L53	34	conclud\$4 near3 synchroniz\$4	USPAT	OR	ON	2008/11/21 13:24
L54	58	determin\$4 near3 synchroniz\$4 near3 must	USPAT	OR	ON	2008/11/21 13:25
L55	2007	(program or application) near3 (message\$1 or notic \$2 or event or command \$1) near3 (change\$1 or update\$1)	USPAT	OR	ON	2008/11/21 13:29

L56	6	55 and (determin\$4 near3 synchroniz\$4)	USPAT	OR	ON	2008/11/21 13:29
L57	388	(program or application) near3 (notif\$3) near3 (change\$1 or update\$1)	USPAT	OR	ON	2008/11/21 13:32
L58	156	55 and ((need\$4 or must or determin\$4) near3 synchroniz\$4)	USPAT	OR	ON	2008/11/21 13:32
L59	5	58 and (synchroniz\$4 near3 first near3 second)	USPAT	OR	ON	2008/11/21 13:32
S1	2	"20070174348"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:21
S2	2	"6505215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:22
<b>S</b> 3	3	"2002055939"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:23
<b>S</b> 4	2	"20020055939"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:23
<b>S</b> 5	2	"6169988".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:03
S6	1089	synchroniz\$3 adj database \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:04
S7	14	S6 and (security adj token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:04
S8	3	S6 and ((security adj token) with load\$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:09

S9	3	S6 and (token with load\$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:07
S10	5	((security adj token) with load\$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:42
S11	623	synchroniz\$4 with ((mobile or portable or cellular cell or wireless) adj (device or system or computer or database or phone)) with (server or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:37
S12	0	S11 and ((security adj token) with load\$3 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:38
S13	0	S11 and ((security adj token) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:38
S14	0	S11 and ((security adj token) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:38
S15	1	S10 and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:40
S16	36252	smart adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:43
S17	289	(smart adj card) with load \$3 with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:43
S18	18	S17 and synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:43

S19	8931	load adj application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:54
S20	248	S19 and (application with execut\$3 with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:54
S21	75	S20 and synchroniz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:54
S22	5	S20 and (synchroniz\$3 with first with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:55
S23	10	S20 and (synchroniz\$3 with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:57
S24	714	synchroniz\$4 with database with (mobile or portable or cellular or wireless or pda or cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:58
S25	96	S24 and (load\$3 near2 (application or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:58
S26	12	S24 and ((load\$3 near2 (application or program)) with (cell or cellular or mobile or portable or wireless or pda))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:59
S27	207	(portable or wireless or mobile or cellular) with (security adj3 token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 11:44
S28	8	S27 and ((portable or wireless or mobile or cellular) with synchroniz \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 11:45

S29	2	"6505215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 12:45
S30	2	"6824064".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 12:45
S31	2	synchroniz\$4 with toolkit with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:17
S32	2	synchroniz\$4 with toolkit with sim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:18
S33	18	synchroniz\$4 with toolkit with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:18
S34	82	(toolkit near3 application near3 card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:20
S35	4	S34 and synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:20
S36	13	(toolkit near3 application near3 card) with communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:21
S37	25	(toolkit near3 application near3 card) with command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:23
S38	25	S37 and (mobile or portable or cellular or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:24

S39	9580	((security adj3 token) or (smart adj3 card)) with (mobile or portable or wireless or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:39
S40	51	(((security adj3 token) or (smart adj3 card)) with (mobile or portable or wireless or cellular)) same synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:41
S41	1	(((security adj3 token) or (smart adj3 card)) with (mobile or portable or wireless or cellular)) same synchroniz\$4 same first same second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:42
S42	2	"6505215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:41
S43	0	(((security adj3 token) or (smart adj3 card)) with (mobile or portable or wireless or cellular)) same synchroniz\$4 same load\$4 with toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 16:06
S44	0	(((security adj3 token) or (smart adj3 card) or SIM) with (mobile or portable or wireless or cellular)) same synchroniz\$4 same load\$4 same toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 16:07
S45	3	(((security adj3 token) or (smart adj3 card) or SIM) with (mobile or portable or wireless or cellular)) same synchroniz\$4 same toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 16:08
S46	2	"7225219".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 10:37
S47	2	"6532492".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 10:38
S48	27	toolkit with execut\$3 with command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 14:37

S49	20	S48 and ((smart adj3 card) or SIM or (security adj3 token))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 14:37
S50	2	"6505215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:32
S51	2	"6006274".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:35
S52	10005	synchroniz\$4 near3 first near3 second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:39
S53	233	S52 and (receiv\$4 near3 message\$1 near3 first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:40
S54	1	S53 and (determin\$4 near4 synchronization near3 (required or needed or necessary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:41
S55	538	(determin\$4 near4 synchronization near3 (required or needed or necessary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:41
S56	39	S55 and (synchroniz\$4 near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:42
S57	0	S56 and toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 11:42
S58	2570443	id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:40

S59	14243	if	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:40
S60	0	if near3 synchronization near3 (necessary or needed or required)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:40
S61	0	"if" near3 synchronization near3 (necessary or needed or required)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:40
S62	234	whether near3 synchronization near3 (necessary or needed or required)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:40
S63	14	S62 and (synchroniz\$4 near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:41
S64	470	determin\$4 near3 synchronization near3 (necessary or needed or required)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:44
S65	34	S64 and (synchroniz\$4 near3 first near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:44
S66	0	S65 and (receiv\$4 near3 message near3 synchroniz \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:45
S67	6	S65 and (receiv\$4 with (notification or message) with synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:45
S68	5	S65 and (receiv\$4 with (request) with synchroniz \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:46

S69	0	"200600533339"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:50
S70	3	"20060053339"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:50
S71	2	"20060031827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:53
S72	2	"6834299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:53
S73	825	receiv\$4 near3 synchroniz \$4 near3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:22
S74	107	S73 and (determin\$4 near3 synchroniz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:22
S75	45	S74 and (synchroniz\$4 with first with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:23
S76	6	receiv\$4 near3 synchroniz \$4 near3 message near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:24
S77	114	synchroniz\$4 near3 message near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:25
S78	19	S77 and (synchroniz\$4 with first with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:25

S79	21	S73 and (determin\$4 near3 synchroniz\$4 near3 (need\$4 or necessary or requir\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:29
S80	3	S79 and (synchroniz\$4 with first with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:29
S81	0	S73 and (concluding near3 synchroniz\$4 near3 (need \$4 or necessary or requir \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:31
S82	6	S73 and (synchroniz\$4 near3 (need\$4 or necessary or requir\$3) near3 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:32
S83	707	(synchroniz\$4 near3 (need \$4 or necessary or requir \$3) near3 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:33
S84	0	S83 and (receiv\$4 near3 application near3 (command or message or event) near3 synchroniz \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:33
S85	12	S83 and (receiv\$4 near3 (command or message or event) near3 synchroniz \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:34
S86	2	"5727202".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:17
S87	0	to near3 synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:29
S88	O	"to" near3 synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:29

S89	4	if near3 synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:29
S90	0	should near3 synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:29
S91	0	"should" near3 synchroniz \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:29
S92	38930	can near3 synchroniz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:30
S93	437	can near3 synchroniz\$4 near3 determin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:30
S94	3	can near3 synchroniz\$4 near3 determin\$4 near3 (program or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:30

## 11/21/2008 2:22:45 PM

C:\ Documents and Settings\ rmahmood\ My Documents\ EAST\ Workspaces\ 10561012.wsp